

ANK EC I 22000-24499 GAL NP
Compartment: 1

Shell Full: 23485
2% Outage: 470

Inches	0 Feet	1 Foot	2 Feet	3 Feet	4 Feet	5 Feet	6 Feet	7 Feet
0.00	0	1694	4237	7242	10486	13789	16979	19869
0.25	22	1740	4296	7308	10554	13857	17043	19924
0.50	42	1787	4355	7374	10623	13925	17107	19979
0.75	65	1834	4414	7440	10692	13993	17171	20034
1.00	88	1881	4474	7506	10761	14062	17235	20089
1.25	112	1929	4533	7572	10830	14129	17298	20143
1.50	137	1977	4593	7638	10899	14197	17361	20197
1.75	163	2025	4653	7704	10968	14265	17424	20251
2.00	189	2074	4713	7771	11037	14333	17487	20305
2.25	216	2123	4773	7837	11106	14400	17549	20358
2.50	245	2172	4834	7904	11175	14468	17612	20411
2.75	273	2221	4894	7971	11244	14536	17675	20464
3.00	302	2271	4955	8038	11313	14604	17738	20517
3.25	332	2321	5016	8105	11382	14671	17800	20569
3.50	362	2371	5077	8172	11451	14739	17862	20621
3.75	394	2422	5138	8239	11520	14806	17924	20673
4.00	425	2473	5200	8306	11589	14874	17986	20725
4.25	458	2524	5262	8373	11658	14941	18047	20776
4.50	490	2576	5324	8440	11727	15008	18109	20827
4.75	524	2628	5386	8507	11796	15075	18170	20878
5.00	558	2680	5448	8575	11865	15142	18232	20929
5.25	592	2732	5510	8642	11934	15208	18292	20978
5.50	627	2785	5572	8710	12003	15275	18353	21028
5.75	663	2838	5634	8778	12072	15342	18414	21077
6.00	699	2891	5697	8846	12141	15409	18475	21127
6.25	735	2944	5760	8913	12210	15475	18535	21175
6.50	773	2998	5823	8981	12279	15542	18595	21224
6.75	810	3052	5886	9049	12348	15608	18655	21272
7.00	848	3106	5950	9117	12417	15675	18715	21321
7.25	886	3160	6013	9185	12485	15741	18774	21368
7.50	925	3215	6077	9253	12554	15807	18833	21416
7.75	964	3270	6140	9321	12623	15873	18892	21463
8.00	1004	3325	6204	9390	12692	15939	18952	21510
8.25	1044	3380	6268	9458	12760	16004	19010	21556
8.50	1085	3436	6332	9526	12829	16070	19069	21602
8.75	1126	3492	6396	9594	12898	16136	19127	21647
9.00	1167	3548	6461	9663	12967	16202	19186	21693
9.25	1209	3604	6525	9731	13035	16267	19243	21738
9.50	1251	3661	6590	9800	13104	16332	19301	21783
9.75	1294	3717	6654	9868	13173	16397	19359	21827
10.00	1337	3774	6719	9937	13242	16463	19417	21871
10.25	1380	3831	6784	10005	13310	16527	19474	21914
10.50	1424	3889	6849	10074	13379	16592	19531	21958
10.75	1468	3946	6914	10142	13447	16657	19588	22000
11.00	1513	4004	6980	10211	13516	16722	19645	22043
11.25	1558	4062	7045	10279	13584	16786	19701	22084
11.50	1603	4120	7111	10348	13652	16850	19757	22126
11.75	1648	4178	7176	10417	13720	16914	19813	22167

ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.

WCHX 23528

O U T A G E GAUGE TABLE

Page 113

K E C I 22000-24499 GAL NP
Compartment: 1

Shell Full: 23485
2% Outage: 470

Inches	8 Feet	9 Feet
0.00	22208	23448
0.25	22248	23453
0.50	22288	23456
0.75	22327	23459
1.00	22366	23462
1.25	22404	23464
1.50	22443	23465
1.75	22480	23466
2.00	22518	23466
2.25	22554	23466
2.50	22591	
2.75	22626	
3.00	22662	
3.25	22696	
3.50	22731	
3.75	22764	
4.00	22797	
4.25	22829	
4.50	22862	
4.75	22893	
5.00	22924	
5.25	22954	
5.50	22984	
5.75	23013	
6.00	23041	
6.25	23069	
6.50	23096	
6.75	23122	
7.00	23147	
7.25	23172	
7.50	23196	
7.75	23219	
8.00	23241	
8.25	23262	
8.50	23283	
8.75	23302	
9.00	23320	
9.25	23336	
9.50	23352	
9.75	23366	
10.00	23379	
10.25	23391	
10.50	23402	
10.75	23412	
11.00	23421	
11.25	23429	
11.50	23437	
11.75	23443	

Please Note that
Gauge Tables do NOT
show exact gallons
in Tank. This is
due to manufacturing
Tolerances and shld
not affect the
overall accuracy of
the table.

ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.