

ANK EC I 22000-24499 GAL NP  
16 Compartment: 1

Shell Full: 23571  
2% Outage: 471

Inches	0 Feet	1 Foot	2 Feet	3 Feet	4 Feet	5 Feet	6 Feet	7 Feet
0.00	0	1668	4205	7212	10464	13779	16985	19894
0.25	19	1714	4264	7278	10533	13847	17049	19950
0.50	40	1761	4323	7344	10602	13916	17114	20006
0.75	61	1807	4382	7410	10671	13984	17178	20061
1.00	84	1854	4441	7476	10740	14052	17242	20116
1.25	107	1902	4501	7542	10809	14121	17305	20171
1.50	131	1949	4560	7609	10878	14189	17369	20226
1.75	156	1997	4620	7675	10947	14257	17433	20281
2.00	182	2046	4680	7742	11016	14325	17496	20335
2.25	208	2094	4741	7809	11085	14393	17559	20389
2.50	235	2143	4801	7875	11155	14461	17623	20442
2.75	263	2193	4862	7942	11224	14529	17685	20496
3.00	292	2242	4923	8009	11293	14597	17748	20549
3.25	321	2292	4984	8076	11362	14665	17811	20602
3.50	351	2342	5045	8143	11432	14733	17874	20654
3.75	381	2393	5106	8211	11501	14801	17936	20707
4.00	412	2444	5168	8278	11570	14868	17998	20759
4.25	444	2495	5229	8345	11639	14936	18060	20811
4.50	476	2546	5291	8413	11708	15003	18122	20862
4.75	509	2598	5353	8480	11778	15071	18184	20914
5.00	543	2650	5415	8548	11847	15138	18245	20964
5.25	577	2702	5477	8616	11916	15205	18307	21015
5.50	611	2754	5540	8683	11985	15272	18368	21066
5.75	646	2807	5603	8751	12055	15340	18429	21116
6.00	682	2860	5665	8819	12124	15407	18490	21165
6.25	718	2913	5728	8887	12193	15473	18551	21215
6.50	754	2967	5791	8955	12262	15540	18611	21264
6.75	791	3021	5854	9023	12331	15607	18672	21313
7.00	829	3075	5918	9091	12401	15674	18732	21362
7.25	867	3129	5981	9159	12470	15740	18792	21410
7.50	905	3184	6045	9227	12539	15807	18852	21458
7.75	944	3238	6109	9296	12608	15873	18911	21505
8.00	983	3293	6173	9364	12677	15939	18971	21553
8.25	1023	3349	6237	9432	12746	16005	19030	21600
8.50	1063	3404	6301	9501	12815	16072	19089	21646
8.75	1104	3460	6365	9569	12884	16138	19148	21692
9.00	1145	3516	6429	9638	12953	16203	19207	21738
9.25	1186	3572	6494	9706	13022	16269	19265	21784
9.50	1228	3629	6559	9775	13091	16335	19323	21829
9.75	1271	3685	6623	9844	13160	16400	19381	21874
10.00	1313	3742	6688	9912	13229	16466	19439	21918
10.25	1356	3799	6753	9981	13298	16531	19497	21962
10.50	1400	3857	6819	10050	13367	16596	19554	22006
10.75	1444	3914	6884	10119	13435	16661	19612	22050
11.00	1488	3972	6949	10188	13504	16726	19669	22093
11.25	1532	4030	7015	10257	13573	16791	19725	22135
11.50	1577	4088	7080	10326	13641	16856	19782	22177
11.75	1623	4146	7146	10395	13710	16921	19838	22219

ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.

# WCHX 23539

## O U T A G E GAUGE TABLE

Page 157

K E C I 22000-24499 GAL NP  
Compartment: 1

Shell Full: 23571  
2% Outage: 471

Inches	8 Feet	9 Feet
0.00	22260	23551
0.25	22301	23556
0.50	22342	23560
0.75	22382	23563
1.00	22422	23566
1.25	22461	23568
1.50	22500	23570
1.75	22538	23570
2.00	22576	23571
2.25	22614	23571
2.50	22650	
2.75	22687	
3.00	22723	
3.25	22758	
3.50	22793	
3.75	22828	
4.00	22862	
4.25	22895	
4.50	22928	
4.75	22960	
5.00	22992	
5.25	23023	
5.50	23054	
5.75	23084	
6.00	23113	
6.25	23141	
6.50	23169	
6.75	23197	
7.00	23223	
7.25	23249	
7.50	23274	
7.75	23298	
8.00	23322	
8.25	23344	
8.50	23366	
8.75	23387	
9.00	23407	
9.25	23425	
9.50	23443	
9.75	23459	
10.00	23474	
10.25	23487	
10.50	23499	
10.75	23511	
11.00	23521	
11.25	23530	
11.50	23538	
11.75	23545	

### ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.