

SEC I 25000-26999 GAL NP
Compartment: 1

Shell Full: 25523
2% Outage: 510

Inches	0 Feet	1 Foot	2 Feet	3 Feet	4 Feet	5 Feet	6 Feet	7 Feet
0.00	0	1836	4597	7859	11380	14967	18433	21576
0.25	22	1886	4661	7930	11455	15041	18503	21636
0.50	45	1937	4725	8002	11530	15115	18572	21697
0.75	69	1988	4789	8073	11605	15189	18641	21756
1.00	95	2039	4853	8145	11679	15263	18710	21816
1.25	121	2091	4918	8217	11754	15337	18779	21875
1.50	148	2143	4983	8289	11829	15411	18848	21934
1.75	175	2195	5048	8361	11904	15484	18917	21993
2.00	204	2248	5113	8433	11979	15558	18985	22052
2.25	234	2301	5179	8506	12054	15632	19054	22110
2.50	264	2355	5244	8578	12128	15705	19122	22168
2.75	295	2408	5310	8650	12203	15779	19190	22225
3.00	326	2462	5376	8723	12278	15852	19258	22283
3.25	359	2517	5442	8796	12353	15926	19326	22340
3.50	392	2571	5509	8868	12428	15999	19393	22397
3.75	425	2626	5575	8941	12503	16072	19461	22453
4.00	460	2682	5642	9014	12578	16145	19528	22509
4.25	495	2737	5709	9087	12653	16218	19595	22565
4.50	530	2793	5776	9160	12728	16291	19662	22621
4.75	567	2850	5843	9233	12803	16364	19729	22676
5.00	603	2906	5911	9306	12877	16437	19795	22731
5.25	641	2963	5978	9380	12952	16509	19861	22786
5.50	679	3020	6046	9453	13027	16582	19928	22840
5.75	717	3077	6114	9526	13102	16655	19994	22894
6.00	756	3135	6182	9600	13177	16727	20059	22948
6.25	796	3193	6250	9673	13252	16799	20125	23001
6.50	836	3251	6319	9747	13327	16872	20190	23055
6.75	877	3310	6387	9821	13402	16944	20256	23107
7.00	918	3369	6456	9895	13476	17016	20321	23160
7.25	959	3428	6525	9968	13551	17088	20385	23212
7.50	1002	3487	6594	10042	13626	17160	20450	23263
7.75	1044	3547	6663	10116	13701	17231	20514	23315
8.00	1087	3606	6732	10190	13776	17303	20579	23366
8.25	1131	3667	6802	10264	13850	17374	20643	23416
8.50	1175	3727	6871	10338	13925	17446	20706	23466
8.75	1219	3788	6941	10412	14000	17517	20770	23516
9.00	1264	3848	7011	10487	14074	17588	20833	23566
9.25	1310	3909	7081	10561	14149	17659	20897	23615
9.50	1355	3971	7151	10635	14223	17730	20959	23664
9.75	1402	4032	7221	10710	14298	17801	21022	23712
10.00	1448	4094	7291	10784	14372	17872	21085	23760
10.25	1495	4156	7362	10858	14447	17943	21147	23807
10.50	1543	4219	7433	10933	14521	18013	21209	23855
10.75	1591	4281	7503	11007	14596	18083	21271	23901
11.00	1639	4344	7574	11082	14670	18154	21332	23948
11.25	1688	4407	7645	11156	14744	18224	21394	23993
11.50	1737	4470	7716	11231	14819	18294	21455	24039
11.75	1786	4533	7787	11306	14893	18363	21516	24084

ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.

NK EC I 25000-26999 GAL NP
3 Compartment: 1

Shell Full: 25523
2% Outage: 510

Inches	8 Feet	9 Feet
0.00	24128	25503
0.25	24173	25508
0.50	24216	25512
0.75	24259	25516
1.00	24302	25518
1.25	24344	25520
1.50	24386	25522
1.75	24427	25523
2.00	24468	25523
2.25	24508	25523
2.50	24548	
2.75	24587	
3.00	24626	
3.25	24664	
3.50	24702	
3.75	24739	
4.00	24775	
4.25	24811	
4.50	24846	
4.75	24881	
5.00	24915	
5.25	24948	
5.50	24981	
5.75	25013	
6.00	25044	
6.25	25074	
6.50	25104	
6.75	25133	
7.00	25162	
7.25	25189	
7.50	25216	
7.75	25241	
8.00	25266	
8.25	25290	
8.50	25313	
8.75	25334	
9.00	25355	
9.25	25374	
9.50	25392	
9.75	25409	
10.00	25424	
10.25	25438	
10.50	25450	
10.75	25462	
11.00	25472	
11.25	25481	
11.50	25489	
11.75	25497	

ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.