

ANK EC I 25000-26999 GAL NP  
26 Compartment: 1

Shell Full: 25497  
2% Outage: 510

Inches	0 Feet	1 Foot	2 Feet	3 Feet	4 Feet	5 Feet	6 Feet	7 Feet
0.00	0	1827	4583	7841	11360	14945	18409	21551
0.25	22	1877	4647	7913	11435	15019	18479	21612
0.50	45	1928	4710	7984	11509	15093	18548	21672
0.75	69	1979	4775	8056	11584	15167	18618	21731
1.00	94	2030	4839	8127	11659	15241	18687	21791
1.25	119	2081	4904	8199	11734	15314	18756	21850
1.50	146	2133	4968	8271	11808	15388	18824	21909
1.75	174	2185	5033	8343	11883	15462	18893	21968
2.00	202	2238	5098	8415	11958	15536	18961	22027
2.25	231	2291	5164	8487	12033	15609	19030	22085
2.50	261	2344	5229	8560	12108	15683	19098	22143
2.75	292	2398	5295	8632	12182	15756	19166	22200
3.00	323	2452	5361	8705	12257	15829	19234	22258
3.25	355	2506	5427	8777	12332	15903	19302	22315
3.50	388	2561	5493	8850	12407	15976	19369	22372
3.75	422	2616	5560	8923	12482	16049	19437	22428
4.00	456	2671	5627	8995	12557	16122	19504	22484
4.25	491	2726	5693	9068	12632	16195	19571	22540
4.50	526	2782	5760	9141	12707	16268	19638	22596
4.75	562	2838	5828	9214	12781	16341	19704	22651
5.00	599	2895	5895	9287	12856	16414	19771	22706
5.25	636	2951	5962	9361	12931	16486	19837	22761
5.50	674	3008	6030	9434	13006	16559	19903	22815
5.75	712	3066	6098	9507	13081	16632	19969	22869
6.00	751	3123	6166	9581	13156	16704	20035	22923
6.25	790	3181	6234	9654	13231	16776	20101	22976
6.50	830	3239	6303	9728	13305	16848	20166	23029
6.75	871	3298	6371	9802	13380	16921	20231	23082
7.00	912	3356	6440	9875	13455	16993	20296	23134
7.25	953	3415	6508	9949	13530	17065	20361	23186
7.50	995	3475	6577	10023	13604	17136	20426	23238
7.75	1038	3534	6646	10097	13679	17208	20490	23289
8.00	1080	3594	6716	10171	13754	17280	20554	23340
8.25	1124	3654	6785	10245	13829	17351	20618	23391
8.50	1168	3714	6854	10319	13903	17423	20682	23441
8.75	1212	3775	6924	10393	13978	17494	20745	23491
9.00	1257	3835	6994	10467	14052	17565	20809	23540
9.25	1302	3896	7064	10541	14127	17636	20872	23590
9.50	1348	3958	7134	10615	14202	17707	20935	23638
9.75	1394	4019	7204	10690	14276	17778	20998	23687
10.00	1440	4081	7274	10764	14350	17848	21060	23735
10.25	1487	4143	7345	10838	14425	17919	21122	23782
10.50	1535	4205	7415	10913	14499	17989	21184	23829
10.75	1582	4267	7486	10987	14574	18060	21246	23876
11.00	1631	4330	7557	11062	14648	18130	21308	23922
11.25	1679	4393	7628	11136	14722	18200	21369	23968
11.50	1728	4456	7699	11211	14796	18270	21430	24013
11.75	1777	4519	7770	11286	14871	18340	21491	24058

ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.

# WCHX 25264

## O U T A G E GAUGE TABLE

Page 61

TANK EC I 25000-26999 GAL NP  
126 Compartment: 1

Shell Full: 25497  
2% Outage: 510

Inches	8 Feet	9 Feet
0.00	24103	25477
0.25	24147	25482
0.50	24191	25486
0.75	24234	25490
1.00	24277	25492
1.25	24319	25494
1.50	24361	25496
1.75	24402	25497
2.00	24443	25497
2.25	24483	25497
2.50	24522	
2.75	24562	
3.00	24600	
3.25	24638	
3.50	24676	
3.75	24713	
4.00	24749	
4.25	24785	
4.50	24820	
4.75	24855	
5.00	24889	
5.25	24922	
5.50	24955	
5.75	24987	
6.00	25018	
6.25	25049	
6.50	25078	
6.75	25108	
7.00	25136	
7.25	25163	
7.50	25190	
7.75	25216	
8.00	25240	
8.25	25264	
8.50	25287	
8.75	25309	
9.00	25329	
9.25	25348	
9.50	25366	
9.75	25383	
10.00	25398	
10.25	25412	
10.50	25424	
10.75	25436	
11.00	25446	
11.25	25455	
11.50	25464	
11.75	25471	

### ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.